



ANDHRA PRADESH POLLUTION CONTROL BOARD
D.No.33-26-14D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamalavari Street, Kasturibaipet, Vijayawada - 520 010
Phone. No.0866-2463200, Website : www.appcb.ap.nic.in

RED CATEGORY
CONSENT & AUTHORIZATION ORDER

Consent Order No : APPCB/VSP/VSP/434/HO/CFO/2019-

24/09/2019

CONSENT is hereby granted for Operation under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation under Rule 6 of the Hazardous & Other Wastes (Management and Transboundary, Movement) Rules, 2016 and the rules and orders made there under (hereinafter referred to as 'the Acts', 'the Rules') to:

M/s. Porus Laboratories Private Limited., Unit-VI,
(After expansion) Plot No. 2A, APSEZ,
APIIC, Moturupalem (V), Rambilli (M),
Visakhapatnam District
E-mail: apsrinivas@poruslabs.com

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

i. Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge	Point of Disposal
1.	HTDS Process - 167.2 and Scrubber - 12.0	179.2 KLD	To MEE of CETP, Pharmacy, Parawada for evaporation after pre-treatment till 18.11.2019 / commissioning of M/s. AETL, Atchutapuram whichever is earlier. If the capacity of CETP, JNPC is not sufficient in future, then the permission to send effluents to CETP of JNPC, will be withdrawn.
2.	LTDS Washings(Reactor, Containers and floor moping) - 20.0, Boiler - 12.5, Cooling Towers - 12.5, DM Plant regeneration - 10.0 Softener Plant regeneration - 10.0 Q.C & R&D - 5.0	70.0 KLD	To CETP of Pharmacy, Parawada after pre-treatment, duly meeting the inlet standards, till 18.11.2019 / commissioning of M/s. AETL, Atchutapuram whichever is earlier. If the capacity of CETP, JNPC is not sufficient in future, then the permission to send effluents to CETP of JNPC, will be withdrawn.
3.	Domestic Effluent	8.0 KLD	Overflow of septic tank shall be sent to CETP along with LTDS effluent.

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow
1.	Attached to 1 X 10.0 coal fired boiler	--
2.	Attached to 1 X 1000 KVA & 1 X 500 KVA DG Sets	--

iii) HAZARDOUS WASTE AUTHORISATION (FORM - II) [See Rule 6 (2)]:

M/s. Porus Laboratories Private Limited., Unit-VI, Plot No. 2A, APSEZ, APIIC, Moturupalem (V), Rambilli (M), Visakhapatnam District is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

• HAZARDOUS WASTES WITH DISPOSAL OPTION:

S. No	Name of hazardous waste	Stream	Quantity (TPD)	Disposal Option
1.	Process Organic Residues and Distillation Bottom Residue	28.1 of Schedule - I	17.51	To the authorized Cement industries for being used as alternate fuel in the kiln (or) TSDF, Parawada for incineration / AFRF for pre-processing
2.	Spent Carbon	35.3 of Schedule - I	3.72	
3.	Inorganic Residue	28.3 of Schedule - I	3.11	To TSDF, Parawada for land filling.
4.	ETP Sludge	35.3 of schedule - I	1.0	
5.	Spent Salts	35.3 of schedule - I	11.0	To TSDF, Parawada for secured land filling.

• HAZARDOUS WASTES WITH RECYCLING OPTION:

S.No	Name of hazardous waste	Stream	Quantity after expansion	Method of disposal
1.	Used Oil / Waste Lubrication Oil	5.1 of Schedule - I	400 LPM	Shall be disposed to authorized Re-processors / Recyclers / to the Cement industries to use as alternate fuel in the kiln
2.	a. Detoxified Containers & Container Liners	33.1 of Schedule - I	1500 No's/Month	Authorised agencies, after complete detoxification for re-use/ recycle.
	b. HDPE Carboys		200 No's/Month	
	c. Fiber drums		300 No's/Month	

3.	Glass Bottles / Scrap		75 kgs/month	
4.	HDPE Bags and Polythene Bags		6000 No's/month	
5.	Spent Solvents	28.6 of Schedule - I	136 KLD	Recovery within the premises / to APPCB authorized recyclers.
6.	Mixed Spent Solvents	28.6 of schedule - I	145.0 TPD	To agencies authorized by APPCB for recovery / Authorized cement plants for co-processing / To Recovery within the premises and reuse
7.	PPFRP Waste		40 kgs/Anum	TSDF / Authorized recyclers / Cement Industry
8.	Insulation Waste		50kgs/Anum	TSDF, Parawada / Cement Industries
9.	Thermocol Waste		100 Kgs/Annum	TSDF / Cement Industry / Authorized recyclers

This consent order is valid for manufacture the following products along with quantities indicated only:

S. No.	Name of the Product	Capacity in Kg/Day	No. of Stages	Name of the Starting Raw Materials	Quantity in Kg/Day
	p-Phenolphthalein bisphenol (or) 2-Phenyl-3,3-bis (4-hydroxy phenyl) phthalimide (PPPBP)	7666.7	2	Phthalic anhydride	4035.1
	4-Nitro-N-methyl phthalimide (4-NPI)	13333.3	2	Phthalic anhydride	12444.5
	1,3-Cyclohexadiene	33.3	3	Cyclohexanol	155.0
	Cupreidine	16.7	1	Quinidine	19.05
	2-(1-Chlorocyclopropyl)-2-[(2-chlorophenyl) methyl]-oxirane	666.7	5	2-Acetyl Butyrolactone	911.1
	Polyterpene	33.3	1	Monomer	64.0
	Sulfonated Polymer	333.3	1	Polymer	333.3
	Un-Hydrogenated Styrenic Block Copolymer (USBC)	333.3	1	Styrenic Block Copolymer	350.9
	Hydrogenated Styrenic Block Copolymer (HSBC)	333.3	1	Styrenic Block Copolymer	350.9
	TOFA Plasticizer	333.3	1	Tall Oil Fatty Acid	303.3
	Capped 0.09 IV Bifunctional	11666.7	1	1,5-Bis-(2,6-di	11666.7

	PPO (SA-9000)			methyl-4-hydroxyphenyl)-penta-(2,6-dimethyl-1,4-phenyleneoxide)	
	Tetramethyl bisphenol acetone (TMBPA Powder)	3333.3	1	Acetone	769.2
	Diethylphosphonic acid (DEPA)	1100.0	1	Sodium Hypophosphite Monohydrate	1018.6
	Diethylphosphonic acid (DEPA) [Alternate Process]	1100.0	1	Hypophosphorous acid	1271.6
14.	2-Hydroxyproyl diethyl phosphinate (E 17-194T)	666.7	1	Diethylphosphonic acid	582.7
15.	R&D products	10			
	Total	39,860			

By Products :

S. No.	Name of the Product	Capacity in Kg/Day	By product from
1	Spent Sulfuric Acid	278511	4-Nitro-N-methyl phthalimide (4-NPI)
	Total	278511	

This order is subject to the provisions of 'the Acts' and the Rules' and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B & C enclosed to this order.

This combined order of consent & Hazardous Waste Authorization shall be valid for a period ending with the 30th day of June, 2023.

BANDLA SIVA SANKARA PRASAD, CHAIRMAN, O/o CHAIRMAN-APPCB

To
M/s. Porus Laboratories Private Limited., Unit-VI,
Plot No. 2A, APSEZ,
APIIC, Moturupalem (V), Rambilli (M),
Visakhapatnam District.

Copy to :

1. The JCEE, Zonal Office, Visakhapatnam for information and necessary action.
2. The Environmental Engineer, Regional Office, Visakhapatnam for information and necessary action.

SCHEDULE-A

1. Any up-set condition in any industrial plant / activity of the industry, which result in, increased effluent / emission discharge and/ or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and

- District Magistrate and take immediate action to bring down the discharge / emission below the limits.
2. The industry should carryout analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.
 3. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.
 4. The industry should put up two sign boards (6x4 ft. each) at publicly visible places at the main gate indicating the products, effluent discharge standards, air emission standards, hazardous waste quantities and validity of CFO and exhibit the CFO order at a prominent place in the factory premises.
 5. Not withstanding anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
 6. The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E(P) Rules, 1986 & amendments thereof.
 7. The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under H&OW (M&TM) Rules, 2016 at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CFO conditions for obtaining Consent & HW Authorization of the Board. The industry should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board.
 8. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules 1982, to Appellate authority constituted under Section 28 of the Water(Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air(Prevention and Control of Pollution) Act, 1981.

SCHEDULE-B

1. The industry shall surrender the original CFO&HWA orders No. APPCB/VSP/VSP/434/HO/CFO/2018-, Dated 31.07.2018 and No. APPCB/VSP/VSP/434/HO/CFO/2018-, Dated 14.06.2019 to the RO, Visakhapatnam after receipt of this order which was valid upto 30.06.2023. The CFO&HWA orders stands cancelled from the date of issue of this order.
2. The Board vide order dated 08.05.2019 issued CFE (Expansion) to manufacture of 12 no. of products with the production capacity of 26427.0 Kgs/Day and obtained CFO (Expansion) order dated 14.06.2019 and valid up to 30.06.2023. The Board vide order dated 22.07.2019 issued CFE (Expansion) to manufacture of 15 no. of products with production capacity of 39860 Kgs/Day. Further, the Board vide order dated 23.08.2019 issued CFE (Amendment) Order for products and Hazardous waste generation. Now, the industry has applied for the CFO (Expansion) against CFE (Expansion) & (amendment) Orders dated 22.07.2019 & 23.08.2019.
3. The Committee noted the following non compliances:
 - a. As per the CFE expansion vide order dt. 08.05.2019 condition no. 5, "The

industry shall send effluents to CETP, JNPC, Parawada upto 28.06.2019 only". The industry was inspected on 31.08.2019 and observed that the industry is disposing the effluents to CETP, JNPC, Parawada as M/s. Atchutapuram Effluent Treatment Ltd (M/s. AETL), is not yet commissioned.

- b. The industry is located in an area of 40,446 Sq. M. The industry is supposed to develop greenery in an area of 22 % of the total area. Accordingly, the industry shall develop greenery in 8898 Sq.M. But the industry developed greenery in 5000 Sq.M only.
 - c. The industry has installed 1X 10 TPH coal fired boiler, 1X 1000 KVA & 1X 500 KVA DG Sets. Hence CFO may not be issued for 1X 2 TPH oil fired boiler, 1X 3.0 lakhs Kilo Calories, 1X 1.0 lakhs Kilo Calories hot oil boiler & 1X 1000 KV DG sets.
4. The representative of the industry attended the meeting and informed the following:
- a. The Atchutapuram industrial association submitted representation to the Board to extend the disposal of effluents to CETP, JNPC, Parawada upto end of September, 2019.
 - b. They will develop remaining green belt within 3 month i.e., by end of October, 2019.
5. After detailed discussions on verification report of the EE, RO: Visakhapatnam, agenda and submissions of the representatives of the industry, the committee recommended to issue CFO & HWA expansion order to the industry by stipulating the following additional conditions:
- a. The industry shall send effluents to CETP, JNPC, Parawada upto 18.11.2019 only/ CETP Atchutapuram is commissioned whichever is earlier.
 - b. The industry shall develop remaining green belt within 1 month i.e., by end of December, 2019.
 - c. The industry shall submit Half yearly compliance reports to all the stipulated conditions in Environmental Clearance (EC), Consent for Establishment (CFE) and Consent for Operation (CFO) through website i.e., <https://pcb.ap.gov.in> by 1st of January and 1st July of every year. The first half yearly compliance reports shall be furnished by the industry and second half yearly compliance reports shall be the audited through NABL accredited third party.
 - d. The industry shall dispose spent Sulphuric acid to the authorized industry duly following the CPCB protocol.

WATER POLLUTION:

1. The source of water is APIIC Supply. The following is the permitted water consumption:

Sl.No	Purpose	Quantity (KLD)
1.	Process	538.2
2.	Washings (Reactor, Containers and floor moping)	20.0
3.	Boiler	100.0
4.	Cooling Towers	50.0
5.	DM Plant regeneration	10.0
6.	Softener Plant regeneration	10.0

7.	Q.C & R&D	5.0
8.	Scrubber	12.0
9.	Domestic	10.0
10.	Gardening	20.0
	Total	775.2

- Digital flow meters with totalizers with necessary pipelines shall be provided so as to assess the water used for different purposes and maintain them properly and also maintain the records of the readings.
- The LTDS effluents sent to CETP, Pharmacy shall not contain constituents in excess of the tolerance limits mentioned below, as per their MoU with M/s Ramky Pharma City.

Outlet	Parameter	Concentration in mg/l
2	pH	6.50 - 8.50
	Temperature °C	< 45 ⁰ C
	TDS	12,000 mg/l
	TSS	600 mg/l
	BOD	3,000 mg/l
	COD	8,000 mg/l
	Oil and Grease	20 mg/l
	Chromium Hexavalent (as Cr+6)	2 mg/l
	Chromium (total) (as Cr)	2 mg/l
	Ammonical Nitrogen (as N)	30 mg/l
	Cyanide (as CN)	0.20 mg/l
	Lead (as Pb)	1 mg/l
	Nickel (as Ni)	3 mg/l
	Zinc (as Zn)	15 mg/l
	Arsenic (as As)	0.20 mg/l
Mercury (as Hg)	0.01 mg/l	

The industry shall segregate the HTDS and LTDS effluent streams and the effluents which are not meeting the above standards shall be treated as HTDS effluents and shall be sent CETP of Pharmacy for evaporation.

- The industry shall install and maintain Electro Magnetic flow meters with totalisers for effluent quantity measurement for HTDS & LTDS effluent. The industry shall maintain web camera and flow meters as per the CPCB protocol and same connected to CPCB & APPCB.
- The LTDS and HTDS effluents shall be collected at production block and stored in above ground level collection tanks separately.
- Effluents shall not be discharged onland or any water bodies or aquifers or outside under any circumstances. Floor washings shall be admitted into effluent collection system only and shall not be allowed to find their way into storm water drains or open areas.
- The industry shall maintain rainwater runoff tank for collection and storage of first

flush storm water. The industry shall maintain dry condition outside drains in non-rainy season.

8. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank after characterization.
9. The industry shall maintain proper manifest system for effluent transported to CETP. They shall submit monthly reports to the E.E., RO-Visakhapatnam.
10. The industry shall provide hood on the top of the effluent storage tank and vents connected to the double stage scrubber to control odour nuisance.

AIR POLLUTION:

11. The emissions shall not contain constituents in excess of the prescribed limits mentioned below:

Chimney No.	Parameter	Emission Standards
1 & 2	Particulate Matter	100 mg/Nm ³

12. The industry shall comply with ambient air quality standards of PM10 (Particulate Matter size less than 10µm) - 100 µg/ m³; PM2.5 (Particulate Matter size less than 2.5 µm) - 60 µg/ m³; SO₂ - 80 µg/ m³; NO_x - 80 µg/m³, outside the factory premises at the periphery of the industry.
Standards for other parameters as mentioned in the National Ambient Air Quality Standards CPCB Notification No.B-29016/20/90/PCI-I, dated 18.11.2009.
Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A)
Night time (10 PM to 6 AM) - 70 dB (A)
13. The industry shall comply with emission limits for DG sets of capacity upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Act Rules. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
14. The industry shall install energy meter to Air Pollution Control Equipment and maintain the records.
15. The industry shall provide multi-stage scrubbers to the process vents to control the process emissions. The industry shall provide online pH measuring facility with auto recording system to the scrubbers provided to treat the process emissions
16. Scrubber solution shall be recycled as far as possible and finally sent to CETP of Pharmacy for further treatment.
17. The industry shall maintain online VOC analyzer and the monitoring records shall be submitted to the RO-Visakhapatnam.
18. The evaporation losses in solvents shall be controlled by taking suitable measures, which include:
 - i. Chilled brine circulation to effectively reduce the solvent losses into the atmosphere.
 - ii. Transfer of solvents by using pumps and closed conveyance instead of manual handling.
 - iii. Closed centrifuges be used due to which solvent losses are reduced drastically.
 - iv. The reactor vents connected with primary & secondary condensers to catch the solvent vapours.
 - v. All the solvent storage tanks are connected with vent condensers to prevent solvent vapours.
19. The industry shall not use odour causing substances such as Mercaptan or cause odour nuisance in the surroundings.

Solid Waste:

20.The industry shall dispose solid waste (NON HAZARDOUS) as follows

S.No.	Name of the Solid Waste	Quantity	Disposal
1.	Boiler ash	17.2 TPD	To brick manufacturers
2.	Used Lead Acid Batteries	26No's/Annum	To dealers on buy back system

GENERAL:

- 21.The industry shall not manufacture any product and not exceeding the permitted quantity other than those mentioned in this order.
- 22.The industry shall dispose the spent sulphuric acid to Gypsum manufacturing units as committed vide Ir.dt. 04.05.2019 i.e., i) M/s. Sri Rajeswari Chemicals Pvt Ltd, Gingurthy, Tandoor, Vikarabad, Telangana and to ii) M/s. R.S. Mineral Works, Bugganipalle, Betamcherla, Kurnool, Andhra Pradesh with proper manifest system and shall submit the records to the concerned Regional Officer once in every 3 months.
- 23.The industry shall provide a shed for storage of drums containing chemicals / solvents with roof on elevated platform with a provision to collect leakages / spillages in the collection pit.
- 24.The industry shall comply with the Standard Operating Procedure (SoP) and Checklist of Minimal Requisite Facilities for Utilization of Spent Solvent for Recovery of Solvent specified for Solvent Recovery Units issued by CPCB.
- 25.The industry shall follow the SOP for Safe and Scientific Spent Solvent Handling, Processing and Storage.
- 26.The industry shall evaluate the performance of solvent recovery system for each stream-wise and shall furnish plan of action to maintain the efficiency of solvent recovery more than 95% for each stream wise.
- 27.The industry shall dispose the spent solvents / mixed spent solvents to APPCB authorized recyclers / recover within the premises.
- 28.The industry shall maintain the following records and the same shall be made available to the inspecting officers of the Board:
- Daily production details (ER-1 Central Excise Returns).
 - Quantity of Effluents generated, treated, recycled/reused and disposed to CETP.
 - Log Books for pollution control systems.
 - Characteristics of effluents and emissions.
 - Hazardous/non hazardous solid waste generated and disposed.
 - Inspection book.
 - Manifest copies of effluents / hazardous waste.
- 29.The industry shall submit AAQ monitoring reports conducted by authorised agency every month.
- 30.The industry shall develop green belt in the remaining area of 4898 Sq. M so as to achieve 22 % greenery within 3 month i.e., by end of October, 2019.
- 31.The industry shall comply with CPCB directions dated 05.02.2014 / 02.03.2015 and guidelines issued regarding online monitoring systems issued from time to time. The online monitoring system shall be calibrated periodically as per equipment suppliers manual / CPCB guidelines.
- 32.The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Board.
- 33.The industry shall comply with the Regulation of Persistent Organic

Pollutants Rules,2018 notified by the MoEF&CC Notification vide G.S.R. 207 (E) dated 30.05.2018. As per the notification, the following 7 chemicals are prohibited to manufacturer, trade, use, import and export:

- a. Chlordecone,
 - b. Hexabromobiphenyl,
 - c. Hexabromodiphenyl ether and heptabromodiphenyl ether (commercial octa-BDE),
 - d. Tetrabromodiphenyl ether and pentabromodiphenyl ether (commercial penta-BDE),
 - e. Pentachlorobenzene,
 - f. Hexabromocyclododecane and
 - g. Hexachlorobutadine.
- 34.The industry shall renew the PLI policy which includes Environmental Relief Fund (ERF) and submit copy to RO, Visakhapatnam on yearly base.
- 35.Any other directions / circulars / notices issued by CPCB, MoEF&CC and APPCB shall be followed from time to time.

SCHEDULE - C

[See rule 6(2)]

[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING HAZARDOUS WASTES]

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on “Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty”.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. An application for the renewal of an authorisation shall be made as laid down under these Rules.
9. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.

Specific Conditions:

10. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
11. The industry shall enter an agreement with the Cement industries for disposal of incinerable waste or shall dispose to Alternative Fuel Raw material facility (AFRF) OR to TSDF for co-incineration.
12. The industry shall comply with the provisions of HWM Rules, 2016 in terms of interstate transport of Hazardous Waste and manifest document prescribed Under Rule 18 and 19 of the HWM Rules, 2016.

- 13.The industry shall not store hazardous waste for more than 90 days as per the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.
- 14.The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.
- 15.The industry shall transport the hazardous waste to cement industries only through vehicle fitted with GPS tracking system.
- 16.The industry shall maintain 7 copy manifest system for transportation of waste generated and a copy shall be submitted to concerned Regional Office of APPCB. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM) Card.
- 17.The industry shall maintain proper records for Hazardous and Other Wastes stated in Authorisation in Form-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form-4 as per Rule 20 (2) of the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.

The industry shall submit Half yearly compliance reports to all the stipulated conditions in Environmental Clearance (EC), Consent for Establishment (CFE) and Consent for Operation (CFO) through website i.e., <https://pcb.ap.gov.in> by 1st of January and 1st July of every year. The first half yearly compliance reports shall be furnished by the industry and second half yearly compliance reports shall be the audited through NABL accredited third party.

BANDLA SIVA SANKARA PRASAD, CHAIRMAN, O/o CHAIRMAN-APPCB

To
M/s. Porus Laboratories Private Limited., Unit-VI,
Plot No. 2A, APSEZ,
APIIC, Moturupalem (V), Rambilli (M),
Visakhapatnam District